

N. Lawrence
#61B
8.20.02
Docket No. LFS-0105

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : SHARTLE, Robert Justice
Serial No. : 09/541,376
Filed : 03/31/2000
Title : Capillary Flow Control in a Fluidic Diagnostic Device
Art Unit : 1743
Examiner : Wallenhorst, Maureen

I hereby certify that this correspondence is being deposited with the
United States Postal Service as first class mail in an envelope addressed
to: Commissioner of Patents, Washington, D.C. 20231 on

August 14, 2002

(Date of Deposit)

Mayumi Maeda

(Name of applicant, assignee, or Registered Representative)


(Signature)

August 14, 2002

(Date of Signature)

Honorable Commissioner of Patents
Washington, D.C. 20231

SUPPLEMENTAL AMENDMENT AND RESPONSE

Dear Madam:

This amendment and response is in reply to the Office Action mailed May 21, 2002.
An Amendment and Response was faxed on August 13, 2002 which contained typographical
errors. This Supplemental Amendment and Response corrects those errors. Applicant's
attorney requests that this present Supplemental Amendment and Response be entered into
the record in place of the previously submitted Amendment and Response.

FAX RECEIVED
AUG 14 2002
GROUP 1700
OFFICIAL

B